ASSOCIATION CO	© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved international and Pan-American copyright conventions.			Il rights reserved untions.	under both	This document is a declaration of the substances within the manufact level parts, the declaration encompasses all lower level materials for					e manufactur aterials for wi	er listed in hich the m	tem. Note: nanufacture	if the item is an as er has engineering	sembly with lowe responsibility.
1752-21.1					Form Type Distribute	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information				
Supplier Ir	nformation														
Company nar	me*	Company un	Company unique ID			Unique ID Authority					Response Date*				
On Semiconductor												2021-02-03			
Contact Name			Title - Contact				Phone - Contact*					Email - Contact*			
Product-Env	-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
uthorized R	Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env	y-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
R	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Da	te V	Version Manufacturing Site			Weight*	UOM	Unit Type	
	BC547B NPN G			NPN GENERAL	N GENERAL PURPOSE TO-92		2021-02-03			CNF		2	223.092	mg	Each
/Ianufactu	uring Proccess Informat	ion										ŀ			
Ter	Terminal Plating / Grid Array Material			Cerminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperate		ure Max Time at Peak Temper		Temperat	ure Num	nber of Reflow Cyc	les	
Matte Tin (Sn) - annealed			U Alloy NA				0 C 30			seconds 3					
omments															
or more info	ormation regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed								
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	rective 2011/65/EU (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).												
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of								
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all								
Exemption List Version	EL-2011/534/EU												
Declaration Signature													
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the								
Supplier Digital Signature Ra	stislav Drska	Le											

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless	otherwise noted).							
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.075	mg	Supplier	Silicon (Si)	7440-21-3		0.075	mg
Lead Frame	101.001	mg	Supplier	Silver (Ag)	7440-22-4		1.01	mg
			Supplier	Manganese (Mn)	7439-96-5		0.505	mg
			В	Nickel (Ni)	7440-02-0		0.182	mg
			Supplier	Iron (Fe)	7439-89-6		98.4	mg
			Supplier	Copper (Cu)	7440-50-8		0.904	mg
Mold Compound-Black	112.0	mg	Supplier	2,6-dibromo-4-[1-(3-bromo-4- hydroxyphenyl)-1-methylethyl]phenol	6386-73-8		3.36	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		22.4	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		2.8	mg
			Supplier	Carbon Black (C)	1333-86-4		0.84	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		82.6	mg
Plating	9.94	mg	Supplier	Tin (Sn)	7440-31-5		9.94	mg
Wire Bond - Au	0.076	mg	Supplier	Gold (Au)	7440-57-5		0.076	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).