upplier Informat	IPC Web Site for Inform http://www.ipc.org/IPC ion	C-175x		ard	Form Type * Distribute		laration Class * ss 6 - RoHS Yes/N	o, Homogeneous Materia	als and Mfg Information	on			
ompany name*	ion	С	ompany uni										
		С	ompany unic										
a			ompany um	Company unique ID			Unique ID Authority			Response Date*			
n Semiconductor									2021-02-03				
Contact Name			Title - Contact			Phone - Contact*			Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
uthorized Representa	tive*	Ti	Title - Representative			Phone - Representative*			Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance			NA			Product-Env-Stewards@onsemi.com				
Requester I	em Number	Mfr Item Number		Mfr Item Name		Effective Date	Version Manufacturing Site		Weight*	UOM	Unit Type		
		ES1J		UFR SMA PN 1A 60	00V	2021-02-03		TSCBE	67.9	mg	Each		
	occess Information		: 1D	11	ED 000 MGL D	n 15	D 1 T			CD C			
			Γerminal Base Alloy         J-STD-020 MSL           CU Alloy         1		ΓD-020 MSL Rating					er of Reflow Cy	eles		
•	on) - anneated	CU	Alloy	1		260	IC.	30	seconds 3				
omments	of neak temperature	duning galde-	wing is 10-20	) goggenda									
	e at peak temperature or regarding material con												

<b>RoHS Material Composition Declaration</b>			Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).								
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexcess encompass all such components. Supplier cert as of the date that Supplier completes this for Company acknowledges that Supplier may ha independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated diphen s of an applicable quantity limit, please indications that it gathered the information it provious. Supplier acknowledges that Company will ave relied on information provided by others, Supplier agrees that, at a minimum of and the Supplier enter into a written agreent assource of the Supplier's liability and the Core	EU 2011/65/EU and implemented by the laws of the nyl ethers (each a "RoHS restricted substance") in ecate below which, if any, RoHS exemption you belides in this form using appropriate methods to ensuil rely on this certification in determining the compin completing this form, and that Supplier may not man, its suppliers have provided certifications regarding ment with respect to the identified part, the terms anomany's remedies for issues that arise regarding in licable to such part shall apply.	xcess of the applicable quantity limit identified ab eve may apply. If the part is an assembly with low e its accuracy and that such information is true and iance of its products with European Union membe have independently verified such information. Ho g their contributions to the part, and those certificat conditions of that agreement, including any warra	ove. If a homogeneous material within the part ver level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 4 - Item(s	s) does not contain RoHS restricted substance	ces per the definition above except for selected exer	nptions Supplier Acceptance	* Accepted					
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead). Exemption: 7c-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required in Requester) and click on Submit Form to ha		"Accepted" on the Supplier Acceptance drop-do	wn. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature R		,							

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

<b>Homogeneous Material</b>	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.764	mg	A	Lead (Pb)	7439-92-1	7c	0.0367	mg
			Supplier	Silicon (Si)	7440-21-3		0.7166	mg
			В	Nickel (Ni)	7440-02-0		0.0069	mg
			Supplier	Gold (Au)	7440-57-5		0.0038	mg
Die Attach Solder	2.25	mg	Supplier	Silver (Ag)	7440-22-4		0.0563	mg
			A	Lead (Pb)	7439-92-1	7a	2.0812	mg
			Supplier	Tin (Sn)	7440-31-5		0.1125	mg
Lead Frame	27.5903	mg	Supplier	Iron (Fe)	7439-89-6		0.0331	mg
			Supplier	Copper (Cu)	7440-50-8		27.5489	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0083	mg
Mold Compound-Black	36.69	mg		Metal Hydroxide	proprietary data		1.2842	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		2.9352	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1834	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		29.352	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2.9352	mg
Plating	0.6057	mg	Supplier	Tin (Sn)	7440-31-5		0.6057	mg