Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.					This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
1752-21.1	IDC Web Site for Information on IDC 1752 Standard Form Type				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					eous Materi	ials and Mfg Information				
upplier	Information														
Company name*				Company unique ID			Unique ID Authority					Response Date*			
n Semicor	nductor											2021-02-04			
Contact Na	me	Title - Contact				Phone - Contact*					Email - Contact*				
Product-E	nv-Stewards		Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com			
uthorized	Representative*	Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date Version Manufacturing Sit		ring Site	W	eight*	UOM	Unit Type		
		MC33035P		ANA BRSHLS DC MOTOR CNTR		NTR	2021-02-04					16	550.0	mg	Each
<b>Ianufac</b>	turing Proccess Informat	ion													
	Terminal Plating / Grid Array Material				STD-020 MS	L Rating			_ · _ ·	nperature Max Time at Peak		Temperatu	re Numb	er of Reflow Cyc	eles
I	PbSn		CU Alloy NA		A		0 C		30		seconds 3				
omments															
or more in	nformation regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its uppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 5 - Item(s	s) is obsolete, no information is available		Supplier Acceptance	* Accepted							
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required	fields on all pages of this form. Select the "Ac	cented" on the Supplier Acceptance dron-down	n This will display the signature area Digital	ly sign the declaration (if required by the							
Instructions: Complete all of the required Requester) and click on Submit Form to ha	fields on all pages of this form. Select the "Acave the form returned to the Requester.	ccepted" on the Supplier Acceptance drop-down	n. This will display the signature area. Digital	ly sign the declaration (if required by the							

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

<b>Homogeneous Material</b>	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	4.52	mg	Supplier	Silicon (Si)	7440-21-3		4.52	mg
Die Attach	28.1	mg	Supplier	Silver (Ag)	7440-22-4		21.075	mg
			Supplier	Epoxy resins	129915-35-1		7.025	mg
Lead Frame	440.23		Supplier	Silver (Ag)	7440-22-4		4.8425	mg
			Supplier	Zinc (Zn)	7440-66-6		0.8805	mg
			Supplier	Iron (Fe)	7439-89-6		11.446	mg
			Supplier	Copper (Cu)	7440-50-8		423.061	mg
Mold Compound-Black	1136.27	mg		Epoxy Phenol Resin	proprietary data		119.3083	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1016.9617	mg
Plating	39.79	mg	A	Lead (Pb)	7439-92-1		7.958	mg
			Supplier	Tin (Sn)	7440-31-5		31.832	mg
Wire Bond - Au	1.09	mg	Supplier	Gold (Au)	7440-57-5		1.09	mg