ASSOCIATION CONNECTING LECTRANICS INDUSTRIES® INCLUSTRIES	PC. Bannockb	ourn. Illinois. A	Il rights reserved u ntions.	nder both	This docum level parts,	ent is a declaration en	n of the substat compasses all l	nces within the manufactu ower level materials for v	rer listed i which the r	tem. Note: if nanufacturer	the item is an as has engineering	sembly with lower responsibility.	
			Form Type Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg In					ifg Informati	on			
Supplier Information													
Company name* Company unique			que ID Uı		Unique ID Authority			Respon	Response Date*				
On Semiconductor										2021-02-04			
Contact Name Title - Contact			ct	Phone - Conta			ict* Er			Email - Contact*			
Product-Env-Stewards Product Enviro			viro Compliance		NA			Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Repres			esentative		Phone - Representative*			Email - Representative*					
Product-Env-Stewards Pro			Product Enviro Compliance			NA			Produc	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	Manufacturing Site		Weight*	UOM	Unit Type	
	MMSZ5	MMSZ5245BT1G ZEN SOD123 F		EG 0.5W 15V		2021-02-04	CN1			11.67	mg	Each	
Manufacturing Proccess Informa	tion												
Terminal Plating / Grid Array Ma	terial Terminal Base Alloy		Alloy J	J-STD-020 MSI	MSL Rating Peak		eak Process Body Temperature Max Time at Peak		c Tempera	ture Numb	er of Reflow Cyc	cles	
Matte Tin (Sn) - annealed CU Alloy]	1		260	С	30	secor	nds 3				
Comments													
evel 1 - maximum time at peak temperatu	ire during sol	dering is 10-3	0 seconds										
for more information regarding material	composition	please refer to	o page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the				
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.88	mg	Supplier	Silicon (Si)	7440-21-3		0.88	mg	
Lead Frame	3.19	mg	В	Nickel (Ni)	7440-02-0		1.158	mg	
			Supplier	Iron (Fe)	7439-89-6		1.6014	mg	
			Supplier	Copper (Cu)	7440-50-8		0.4306	mg	
Mold Compound-Black	6.51	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.651	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0325	mg	
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.9439	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		4.2315	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.651	mg	
Plating	0.8	mg	Supplier	Tin (Sn)	7440-31-5		0.8	mg	
Wire Bond	0.29	mg	Supplier	Palladium (Pd)	7440-05-3		0.0038	mg	
			Supplier	Copper (Cu)	7440-50-8		0.2862	mg	