ASSOCIATION CONNECTING ELECTRANICS INDUSTRIES® INCLUSTRIES	PC. Bannockl	burn. Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declarat	ion of the su encompasse	ubstances s all lowe	within the manufa r level materials fo	octurer listed	d item. Note e manufactu	e: if the item is an a rer has engineering	assembly with lower g responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form T http://www.ipc.org/IPC-175x Distribution				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Information														
Company name* Com			Company unique ID			Unique ID Authority					Response Date*			
On Semiconductor											2021-02-04			
Contact Name	ct Name Title - Contact				Phone - Contact*				Emai	Email - Contact*				
Product-Env-Stewards Product Envir			iro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Repre			esentative			Phone - Representative*				Emai	Email - Representative*			
Product-Env-Stewards Pr			Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com			
Requester Item Number	Number Mfr Item Nu		Number Mfr Item Name			Effective Date	Version	1	Manufacturing Site		Weight*	UOM	Unit Type	
	NTMFS	TMFS5C628NLT1G Trench 6 60V NF		ET		2021-02-04		1	MY1		107.2	mg	Each	
Manufacturing Proccess Informa	tion													
Terminal Plating / Grid Array Ma	terial 7	erial Terminal Base Alloy		J-STD-020 MSI	MSL Rating Pea		ak Process Body Temperature Max Time at Peak		eak Tempe	Temperature Number of Reflow Cycles		vcles		
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260	C		30 seco		seconds 3			
Comments														
evel 1 - maximum time at peak temperatu	re during so	ldering is 10-3	0 seconds											
for more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.73	mg	Supplier	Silicon (Si)	7440-21-3		0.73	mg	
Die Attach Solder	2.41	mg	Supplier	Silver (Ag)	7440-22-4		0.0603	mg	
			А	Lead (Pb)	7439-92-1	7a	2.2293	mg	
			Supplier	Tin (Sn)	7440-31-5		0.1205	mg	
Lead Frame	58.77	mg	Supplier	Silver (Ag)	7440-22-4		0.0353	mg	
			Supplier	Iron (Fe)	7439-89-6		0.0588	mg	
			Supplier	Copper (Cu)	7440-50-8		58.6583	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0176	mg	
Mold Compound-Black	43.54	mg		Phenolic Resin	proprietary data		2.177	mg	
			Supplier	Epoxy Phenol Resin	Proprietary Data		3.0478	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.2177	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		38.0975	mg	
Plating	1.7	mg	Supplier	Tin (Sn)	7440-31-5		1.7	mg	
Wire Bond - Cu	0.05	mg	Supplier	Copper (Cu)	7440-50-8		0.05	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3