

Material Composition Declaration

© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

1752-2 1.1

ICP Web Site for information on IPC-1752 Standard
<http://www.ipc.org/IPC-175x>

Form Type*
Distribute

Declaration Class*
Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information

Supplier Information

Company Name * Fairchild Semiconductor	Company Unique ID 00-489-5751	Unique ID Authority Dun & Bradstreet	Response Date* Sat, Aug 31, 2013 02:48 AM
Contact Name * David Lancaster	Title - Contact Product Ecology	Phone - Contact * 801-562-7455	Email - Contact * david.lancaster@fairchildsemi.com
Authorized Representative * David Lancaster	Title - Representative Product Ecology	Phone - Representative * 801-562-7455	Email - Representative * david.lancaster@fairchildsemi.com

Requester Item Number	Mfr Item Number	Mfr Item Name	Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type
FFPF10UP30STU	FFPF10UP30STU	TO-220F-2			INTERNAL SUZHOU	2.084405	g	Each

Manufacturing Process Information

Terminal Finish	Base Alloy	J-STD-020 MSL Rating	Peak Process Body Temperature	Max Time at Peak Temperature	No Reflow cycles
Matte Tin (Sn)	CU Alloy	Not Applicable	C	seconds	Not Applicable

* Required Field

RoHS Material Composition Declaration	Declaration Type * Custom
----------------------------------------------	----------------------------------

RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium
----------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

This document is Fairchild Semiconductor's statement regarding the directive 2011/65/EU of the European Parliament and of the council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS Recast). The content of this document is based upon information collected from Fairchild Semiconductor supply chain, manufacturing facilities and affiliates worldwide.

The FSC part number listed above and the homogenous materials in the product are compliant with the Directive 2011/65/EU. Fairchild has implemented systems to ensure our products are compliant to environmental regulations and laws worldwide. However, not all materials in Fairchild's products may have been independently verified regarding substance content. In the event of any issues arising from information in this document, the warranty section of Fairchild's standard terms and conditions of sale shall apply, unless alternate contracts have been agreed upon in writing by both parties.

Note: The substance content disclosed herewith is approximate and is based on various methods including, engineering calculations, supplier surveys, Material Safety Data Sheets, analytical measurements. Fairchild may update this document without notification. This statement may not include information regarding the miniscule quantities of dopant and metal materials in the electrical devices contained within the finished product. CAS numbers listed for Resin substances are generic and may contain alternate substances of similar composition.

RoHS Declaration *	4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions	Supplier Acceptance * Accepted
---------------------------	------------------------------------------------------------------------------------------------------------------------	---------------------------------------

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Exemption List Version EL-2011/534/EU	7(a)-Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85 % by weight or more lead).
---------------------------------------	----------------------------------------------------------------------------------------------------------------------------

Declaration Signature

Supplier Signature	 DAVID LANCASTER - PRODUCT ECOLOGY MANAGER
--------------------	--------------------------------------------------------------------------------------------------------------------------------

Homogeneous Material Composition Declaration for Electronic Products

Item/SubItem Name TO-220F-2

Component	Material	Weight (mg)	Jig Level	Substance Category	Substance	Weight (mg)	CAS	PPM
Chip	Other inorganic materials	13.900	Supplier		Silicon	13.900	7440-21-3	6669
Die Attach	Other Nonferrous metals & alloys	7.370	A	Lead/Lead Compounds	Lead	6.480	7439-92-1	3109
			Supplier		Silver	0.150	7440-22-4	72
			Supplier		Tin	0.740	7440-31-5	355
Encapsulation	Thermoplastics	880.000	B	Antimony/Antimony Compounds	Antimony Trioxide	22.000	1309-64-4	10555
			B	Brominated Flame Retardants (other than PBCs or PBDEs)	Bromine Resin	26.400	6386-73-8	12665
			Supplier		Carbon Black	6.600	1333-86-4	3166
			Supplier		Epoxy Resin	176.000	29690-82-2	84437
			Supplier		Silica, vitreous	649.000	60676-86-0	311360
Lead Frame	Copper & its alloys	1153.735	Supplier		Copper	1150.000	7440-50-8	551716
			Supplier		Iron	1.150	7439-89-6	552
			Supplier		Phosphorus	0.345	7723-14-0	166
			Supplier		Silver	2.240	7440-22-4	1075
Plating	Other Nonferrous metals & alloys	26.400	Supplier		Tin	26.400	7440-31-5	12665
Wire Bond	Aluminum & its alloys	3.000	Supplier		Aluminum	3.000	7429-90-5	1439