

## Material Composition Declaration

© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

1752-2 1.1

ICP Web Site for information on IPC-1752 Standard  
<http://www.ipc.org/IPC-175x>

Form Type\*  
 Distribute

**Declaration Class\***  
**Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information**

### Supplier Information

<b>Company Name *</b> Fairchild Semiconductor	<b>Company Unique ID</b> 00-489-5751	<b>Unique ID Authority</b> Dun & Bradstreet	<b>Response Date*</b> Sat, Aug 31, 2013 02:49 AM
<b>Contact Name *</b> David Lancaster	<b>Title - Contact</b> Product Ecology	<b>Phone - Contact *</b> 801-562-7455	<b>Email - Contact *</b> david.lancaster@fairchildsemi.com
<b>Authorized Representative *</b> David Lancaster	<b>Title - Representative</b> Product Ecology	<b>Phone - Representative *</b> 801-562-7455	<b>Email - Representative *</b> david.lancaster@fairchildsemi.com

Requester Item Number	Mfr Item Number	Mfr Item Name	Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type
FGH40T120SMD	FGH40T120SMD	TO-247-3			INTERNAL SUZHOU	5.456725	g	Each

### Manufacturing Process Information

Terminal Finish	Base Alloy	J-STD-020 MSL Rating	Peak Process Body Temperature	Max Time at Peak Temperature	No Reflow cycles
Matte Tin (Sn)	CU Alloy	Not Applicable	C	seconds	Not Applicable

\* Required Field

RoHS Material Composition Declaration		Declaration Type * Custom
<b>RoHS Directive</b> 2011/65/EU	<b>RoHS Definition:</b> Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium	
<p>This document is Fairchild Semiconductor's statement regarding the directive 2011/65/EU of the European Parliament and of the council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS Recast). The content of this document is based upon information collected from Fairchild Semiconductor supply chain, manufacturing facilities and affiliates worldwide.</p> <p>The FSC part number listed above and the homogenous materials in the product are compliant with the Directive 2011/65/EU. Fairchild has implemented systems to ensure our products are compliant to environmental regulations and laws worldwide. However, not all materials in Fairchild's products may have been independently verified regarding substance content. In the event of any issues arising from information in this document, the warranty section of Fairchild's standard terms and conditions of sale shall apply, unless alternate contracts have been agreed upon in writing by both parties.</p> <p>Note: The substance content disclosed herewith is approximate and is based on various methods including, engineering calculations, supplier surveys, Material Safety Data Sheets, analytical measurements. Fairchild may update this document without notification. This statement may not include information regarding the miniscule quantities of dopant and metal materials in the electrical devices contained within the finished product. CAS numbers listed for Resin substances are generic and may contain alternate substances of similar composition.</p>		
<b>RoHS Declaration *</b>	<b>4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions</b>	<b>Supplier Acceptance * Accepted</b>
<p><b>Exemptions:</b> If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.</p>		
<p>Exemption List Version EL-2011/534/EU 7(a)-Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85 % by weight or more lead).</p>		

#### Declaration Signature

Supplier Signature	 DAVID LANCASTER - PRODUCT ECOLOGY MANAGER
--------------------	--

# Homogeneous Material Composition Declaration for Electronic Products

Item/SubItem Name TO-247-3

Component	Material	Weight (mg)	Jig Level	Substance Category	Substance	Weight (mg)	CAS	PPM
Chip	Other inorganic materials	32.000	Supplier		Silicon	32.000	7440-21-3	5864
Die Attach	Other Nonferrous metals & alloys	35.000	A	Lead/Lead Compounds	Lead	32.400	7439-92-1	5938
			Supplier		Silver	0.875	7440-22-4	160
			Supplier		Tin	1.750	7440-31-5	321
Encapsulation	Thermoplastics	1740.000	B	Antimony/Antimony Compounds	Antimony Trioxide	34.900	1309-64-4	6396
			B	Brominated Flame Retardants (other than PBCs or PBDEs)	Bromine Resin	20.900	6386-73-8	3830
			Supplier		Carbon Black	17.400	1333-86-4	3189
			Supplier		Epoxy Resin	284.000	29690-82-2	52046
			Supplier		Silica, vitreous	1382.600	60676-86-0	253375
Lead Frame	Copper & its alloys	3610.000	Supplier		Copper	3490.000	7440-50-8	639578
			Supplier		Iron	2.100	7439-89-6	385
			B	Nickel (external applications only)	Nickel	118.000	7440-02-0	21625
			Supplier		Phosphorus	1.050	7723-14-0	192
			Supplier		Zinc	1.750	7440-66-6	321
Plating	Other Nonferrous metals & alloys	31.000	Supplier		Tin	31.000	7440-31-5	5681
Wire Bond	Aluminum & its alloys	6.000	Supplier		Aluminum	6.000	7429-90-5	1100