




注記 NOTES

1. 材質
ハウジング: 耐熱性ナイロン UL94V-0
ピン: 銅合金、ニッケル下地、錫メッキ、金メッキ
フィッティングネール: 銅合金、ニッケル下地、錫メッキ
MATERIAL
HOUSING: POLYAMIDE UL94V-0
PIN: COPPER ALLOY, GOLD OR TIN OVER NICKEL PLATE.
FINNTING NAIL: COPPER ALLOY, TIN OVER NICKEL PLATE.



2. 色: ナチュラル、黒
COLOR: NATURAL, BLACK

3. 嵌合相手
ハウジング: 502351-**-00*
錫メッキ端子: 50212-8*00, 50372-8*00, 560085-0101
金メッキ端子: 56161-8*81
MATES WITH
HOUSING: 502351-**-00*
SN PLATING TERMINAL: 50212-8*00, 50372-8*00, 560085-0101
AU PLATING TERMINAL: 56161-8*81

4. エンボス梱包品の詳細はSD-502352-002参照
DETAILED TAPING PACKAGE, SEE SD-502352-002.

5. ELV及びRoHS適合
ELV AND RoHS COMPLIANT

6. 半田付け面のコプラナリティ: 0.1mm MAX.
CO-PLANARITY OF SOLDERING TAILS TO BE 0.1mm MAX.



REVISED EC NO: JTR2015-0017 DRWN: YFUSHIMI 2014/07/16 CHKD: HKOMATSU 2014/07/16 APPR: MAYAMOTO 2014/07/31	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY SHSHIBATA	DATE 2007/12/18	TITLE 2.0MM PITCH W/B CONN. WAFER ASSY R/A SMT			
		10 OVER 30 UNDER	± 0.25	CHECKED BY HKOMATSU	DATE 2007/12/18				
		30 OVER	± 0.3	APPROVED BY AKANESHI GE	DATE 2007/12/18				
		ANGULAR ±3 °		MATERIAL NO.					
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-502352-001		2 OF 3		
REV		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

	10		9		8		7		6		5		4		3		2		1																																																													
F	Sn NATURAL				15	Au NATURAL				15																																																																						
		32.0	502352-1400		14					14																																																																						
					13					13																																																																						
		28.0	502352-1200		12					12																																																																						
					11					11																																																																						
					10					10																																																																						
					9					9																																																																						
		20.0	502352-0800		8		20.0	502352-0810		8																																																																						
		18.0	502352-0700		7		18.0	502352-0710		7																																																																						
		16.0	502352-0600		6		16.0	502352-0610		6																																																																						
E		14.0	502352-0500		5		14.0	502352-0510		5																																																																						
		12.0	502352-0400		4		12.0	502352-0410		4																																																																						
		10.0	502352-0300		3		10.0	502352-0310		3																																																																						
		8.0	502352-0200		2		8.0	502352-0210		2																																																																						
		PLATING COLOR	A	EMBOSSED PACKAGE ORDER NO.	CKTS		PLATING COLOR	A	EMBOSSED PACKGE ORDER NO.	CKTS																																																																						
CONNECTOR SERIES NO. 502352-**08					CONNECTOR SERIES NO. 502352-**18																																																																											
D	Sn BLACK				15															15																																																												
					14															14																																																												
					13															13																																																												
					12															12																																																												
					11															11																																																												
					10															10																																																												
					9															9																																																												
		20.0	502352-0801		8		20.0	502352-0810												8																																																												
		18.0	502352-0701		7		18.0	502352-0710												7																																																												
		16.0	502352-0601		6		16.0	502352-0610		6																																																																						
C		14.0	502352-0501		5		14.0	502352-0510		5																																																																						
		12.0	502352-0401		4		12.0	502352-0410		4																																																																						
		10.0	502352-0301		3		10.0	502352-0310		3																																																																						
		8.0	502352-0201		2		8.0	502352-0210		2																																																																						
		PLATING COLOR	A	EMBOSSED PACKAGE ORDER NO.	CKTS		PLATING COLOR	A	EMBOSSED PACKAGE ORDER NO.	CKTS																																																																						
CONNECTOR SERIES NO. 502352-**28																																																																																
B																																																																																
A																																																																																
<table><tr><td rowspan="7">REVISED</td><td rowspan="7">EC NO: JTR2015-0017 DRAWN: YFUSHIMI 2014/07/16 CHKD: HKOMATSU 2014/07/16 APPR: MAYAMOTO 2014/07/31</td><td rowspan="7">DESCRIPTION</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE 5:1</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>± 0.2</td><td>DRAWN BY SHSHIBATA</td><td>DATE 2007/12/18</td><td colspan="4" rowspan="2">TITLE 2.0MM PITCH W/B CONN. WAFFER ASSY R/A SMT</td></tr><tr><td>10 OVER 30 UNDER</td><td>± 0.25</td><td>CHECKED BY HKOMATSU</td><td>DATE 2007/12/18</td></tr><tr><td>30 OVER</td><td>± 0.3</td><td>APPROVED BY AKANESHIGE</td><td>DATE 2007/12/18</td><td colspan="4" rowspan="2">molex</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-502352-001</td><td>3 OF 3</td></tr><tr><td colspan="2"></td><td>SIZE A3</td><td colspan="14">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																				REVISED	EC NO: JTR2015-0017 DRAWN: YFUSHIMI 2014/07/16 CHKD: HKOMATSU 2014/07/16 APPR: MAYAMOTO 2014/07/31	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER	± 0.2	DRAWN BY SHSHIBATA	DATE 2007/12/18	TITLE 2.0MM PITCH W/B CONN. WAFFER ASSY R/A SMT				10 OVER 30 UNDER	± 0.25	CHECKED BY HKOMATSU	DATE 2007/12/18	30 OVER	± 0.3	APPROVED BY AKANESHIGE	DATE 2007/12/18	molex				ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.	SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-502352-001		3 OF 3			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
REVISED	EC NO: JTR2015-0017 DRAWN: YFUSHIMI 2014/07/16 CHKD: HKOMATSU 2014/07/16 APPR: MAYAMOTO 2014/07/31	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																							
			10 UNDER	± 0.2	DRAWN BY SHSHIBATA	DATE 2007/12/18	TITLE 2.0MM PITCH W/B CONN. WAFFER ASSY R/A SMT																																																																									
			10 OVER 30 UNDER	± 0.25	CHECKED BY HKOMATSU	DATE 2007/12/18																																																																										
			30 OVER	± 0.3	APPROVED BY AKANESHIGE	DATE 2007/12/18	molex																																																																									
			ANGULAR ±3 °		MATERIAL NO.						DOCUMENT NO.	SHEET NO.																																																																				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-502352-001		3 OF 3																																																																							
					SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																										
tb_frame_A3_J_AM_S Rev G 2012/01/25	9	8	7	6	5	4	3	2	1																																																																							


REVISED EC NO: JTR2015-0017 DRWN:YFUSHIMI 2014/07/16 CHKD:HKOMATSU 2014/07/16 APPR: MAYAMOTO 2014/07/31 H	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY SHSHIBATA	DATE 2007/12/18	TITLE 2.0MM PITCH W/B CONN. WAFER ASSY R/A SMT				
		10 OVER 30 UNDER	± 0.25	CHECKED BY HKOMATSU	DATE 2007/12/18					
		30 OVER	± 0.3	APPROVED BY AKANESHIGE	DATE 2007/12/18	DOCUMENT NO. SD-502352-001				
		ANGULAR ±3 °		MATERIAL NO.						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
				SIZE A3						

molex



10 9 8 7 6 5 4 3 2 1

注記
NOTES

- 製品番号
ナチュラル: 502352-***0
黒: 502352-***1
詳細寸法については、製品単体図面を参照下さい。
PART NO.
NATURAL: 502352-***0
BLACK: 502352-***1
SEE SALES DRAWING FOR CONNECTOR
- 梱包数量: 700個/リール
NUMBER OF CONNECTORS 700PCS/REEL
- リードテープ長さ
LEAD TAPE LENGHT



- 材料
MATERIAL
キャリアテープ: ポリスチレン
CARRIER TAPE: POLYSTYRENE
トップテープ: PET, PE, PEF
TOP TAPE: PET, PE, PEF
リール: ポリスチレン
REEL: POLYSTYRENE



REVISED EC NO: JTR2015-0017 DRAWN:YTAMAKI CHKD:HKOMATSU APPR: MAYAMAMOTO	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION				
		10 UNDER	± 0.2	DRAWN BY SHSHIBATA	DATE 2007/6/6	TITLE 2.0MM PITCH W/B CONN. WAFER ASSY EMBOSSSED TAPE PACKAGE						
		10 OVER 30 UNDER	± 0.25	CHECKED BY TAITO	DATE 2007/6/6							
		30 OVER	± 0.3	APPROVED BY MAYAMAMOTO	DATE 2012/03/14	molex						
		ANGULAR ±1 °		MATERIAL NO.						DOCUMENT NO.		SHEET NO.
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART						SD-502352-002		1 OF 2
		REV	G	SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

tb_frame_A3_J_AM_S
Rev G 2012/01/25