

ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®

## **Material Composition Declaration**

© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

1752-2 1.1

ICP Web Site for information on IPC-1752 Standard <a href="http://www.ipc.org/IPC-175x">http://www.ipc.org/IPC-175x</a>

Form Type\*
Distribute

Declaration Class\* Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Infomation

Supplier Information			
Company Name *	Company Unique ID		Response Date*
Fairchild Semiconductor	00-489-5751	Dun & Bradstreet	Sat, Aug 09, 2014 03:05 AM
Contact Name *	Title - Contact	Phone - Contact *	Email - Contact *
David Lancaster	Product Ecology	801-562-7455	david.lancaster@fairchildsemi.com
Authorized Representative *	Title - Representative	Phone - Representative *	Email - Representative *
David Lancaster	Product Ecology	801-562-7455	david.lancaster@fairchildsemi.com

Requester Item Number	Mfr Ite	m Number	Mfr Item Name		Effective Date	Version	1	Manufacturing Site	Weight*	UOM	Unit Type
FQAF16N50	FQA	F16N50	TO-3PF-3				INTE	ERNAL SUZHOU	5.601568	g	Each
Manufacturing Process Information											
Terminal Finish	Base Alloy	J-STD-020 MSL Rating			Peak Process Body Temperature		Max Time at Peak Temperature		No Reflow cycles		
Matte Tin (Sn)	CU Alloy	Not A	Applicable	C			seco		onds	Not A	pplicable

<sup>\*</sup> Required Field

## **RoHS Material Composition Declaration**

**Declaration Type \* Custom** 

RoHS Directive 2011/65/EU

RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium

This document is Fairchild Semiconductor's statement regarding the directive 2011/65/EU of the European Parliament and of the council of 8 June 2011on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS Recast). The content of this document is based upon information collected from Fairchild Semiconductor supply chain, manufacturing facilities and affiliates worldwide.

The FSC part number listed above and the homogenous materials in the product are compliant with the Directive 2011/65/EU. Fairchild has implemented systems to ensure our products are compliant to environmental regulations and laws worldwide. However, not all materials in Fairchild's products may have been independently verified regarding substance content. In the event of any issues arising from information in this document, the warranty section of Fairchild's standard terms and conditions of sale shall apply, unless alternate contracts have been agreed upon in writing by both parties.

Note: The substance content disclosed herewith is approximate and is based on various methods including, engineering calculations, supplier surveys, Material Safety Data Sheets, analytical measurements. Fairchild may update this document without notification. This statement may not include information regarding the miniscule quantities of dopant and metal materials in the electrical devices contained within the finished product. CAS numbers listed for Resin substances are generic and may contain alternate substances of similar composition.

RoHS Declaration \*

4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions | Supplier Acceptance \* Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Exemption List Version EL-2011/534/EU

7(a)-Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85 % by weight or more lead).

**Declaration Signature** 

Supplier Signature

DAVID LANCASTER - PRODUCT ECOLOGY MANAGER

and Loneasto

## **Homogeneous Material Composition Declaration for Electronic Products**

Item/SubItem Name TO-3PF-3

Component	Material	Weight (mg)	Jig Level	Substance Category	Substance	Weight (mg)	CAS	PPM
Chip	Other inorganic materials	6.190	Supplier		Silicon	6.190	7440-21-3	1105
Die Attach	Other Nonferrous metals & alloys	1.840	A	Lead/Lead Compounds	Lead	1.720	7439-92-1	307
			Supplier		Silver	0.028	7440-22-4	5
			Supplier		Tin	0.092	7440-31-5	16
Encapsulation	Thermoplastics	2807.700	В	Antimony/Antimony Compounds	Antimony Trioxide	70.300	1309-64-4	12550
			В	Brominated Flame Retardants (other than PBCs or PBDEs)	Bromine Resin	84.300	6386-73-8	15049
			Supplier		Carbon Black	21.100	1333-86-4	3767
			Supplier		Epoxy Resin	562.000	29690-82-2	100329
			Supplier		Silica, vitreous	2070.000	60676-86-0	369539
Lead Frame	Copper & its alloys	2760.208	Supplier		Copper	2750.000	7440-50-8	490934
			Supplier		Iron	2.760	7439-89-6	493
			Supplier		Phosphorus	0.828	7723-14-0	148
			Supplier		Silver	6.620	7440-22-4	1182
Plating	Other Nonferrous metals & alloys	22.900	Supplier		Tin	22.900	7440-31-5	4088
Wire Bond	Aluminum & its alloys	2.730	Supplier		Aluminum	2.730	7429-90-5	487