

1752-2 1.1

Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

ICP Web Site for information on IPC-1752 Standard http://www.ipc.org/IPC-175x

Declaration Class*

Form Type* Distribute Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Infomation

	Infoliation							
Supplier Information								
Company Name *	Company Unique ID	Unique ID Authority	Response Date*					
Fairchild Semiconductor	00-489-5751	Dun & Bradstreet	Sat, Aug 09, 2014 03:49 AM					
Contact Name *	Title - Contact	Phone - Contact *	Email - Contact *					
David Lancaster	Product Ecology	801-562-7455	david.lancaster@fairchildsemi.com					
Authorized Representative *	Title - Representative	Phone - Representative *	Email - Representative *					
David Lancaster	Product Ecology	801-562-7455	david.lancaster@fairchildsemi.com					
1								

Requester Item Number	Mfr Ite	m Number	Mfr Item Name		Effective Date	Version	I	Manufacturing Site	Weight*	UOM	Unit Type
MMSZ5244B	MMS	Z5244B	SOD-123 (Eutection	c_G)			SUB	CONTRACTOR	0.009730	g	Each
Manufacturing Process Information											
Terminal Finish	Base Alloy	J-STD-02	20 MSL Rating	Rating Peak Process Body Temperature		Max Time at Peak Temperature		No Ref	No Reflow cycles		
Matte Tin (Sn)	Alloy 42		1	260 C		30 seconds			3		

* Required Field

 RoHS Material Composition Declaration
 Declaration Type * Custom

 RoHS Directive 2011/65/EU
 RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Diphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Diphenyl Ethers (PBDE)

This document is Fairchild Semiconductor's statement regarding the directive 2011/65/EU of the European Parliament and of the council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS Recast). The content of this document is based upon information collected from Fairchild Semiconductor supply chain, manufacturing facilities and affiliates worldwide.

The FSC part number listed above and the homogenous materials in the product are compliant with the Directive 2011/65/EU. Fairchild has implemented systems to ensure our products are compliant to environmental regulations and laws worldwide. However, not all materials in Fairchild's products may have been independently verified regarding substance content. In the event of any issues arising from information in this document, the warranty section of Fairchild's standard terms and conditions of sale shall apply, unless alternate contracts have been agreed upon in writing by both parties.

Note: The substance content disclosed herewith is approximate and is based on various methods including, engineering calculations, supplier surveys, Material Safety Data Sheets, analytical measurements. Fairchild may update this document without notification. This statement may not include information regarding the miniscule quantities of dopant and metal materials in the electrical devices contained within the finished product. CAS numbers listed for Resin substances are generic and may contain alternate substances of similar composition.

RoHS Declaration * 1 - Item

1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. Exemption List Version EL-2011/534/EU

Declaration Signature

and Loncosto

Supplier Signature

DAVID LANCASTER - PRODUCT ECOLOGY MANAGER

Homogeneous Material Composition Declaration for Electronic Products

Item/SubItem Name SOD-123 (Eutectic_G)

Component	Material	Weight (mg)	Jig Level	Substance Category	Substance	Weight (mg)	CAS	PPM
Chip	Other inorganic materials	0.070	Supplier		Silicon	0.070	7440-21-3	7194
Encapsulation	Thermoplastics	7.129	Supplier		Carbon Black	0.071	1333-86-4	7327
			Supplier		Epoxy Resin	1.426	29690-82-2	146547
			Supplier		Silica, vitreous	5.632	60676-86-0	578860
Lead Frame	Other Ferrous alloys, non-stainless steels	1.590	Supplier		Cobalt	0.008	7440-48-4	817
			Supplier		Iron	0.897	7439-89-6	92192
			Supplier		Manganese	0.013	7439-96-5	1305
			В	Nickel (external applications only)	Nickel	0.668	7440-02-0	68656
			Supplier		Silicon	0.005	7440-21-3	490
Plating	Other Nonferrous metals & alloys	0.910	Supplier		Tin	0.910	7440-31-5	93528
Wire Bond	Precious metals	0.030	Supplier		Gold	0.030	7440-57-5	3083