


THIS DRAWING IS UNPUBLISHED				RELEASED FOR PUBLICATION				NOT				ALL RIGHTS RESERVED				
COPYRIGHT 2011																
D	1-2177063-8	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	○						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
D	1-2177063-8	123	1	0-2177065-4	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	CLARET VIOLET Bordeauxviolet 4004	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-4	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	○						
D	1-2177063-7	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	△						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-4	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	CLARET VIOLET Bordeauxviolet 4004	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-4	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	△						
C	1-2177063-6	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	○						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-3	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	BLUE / blau RAL 5012 (5005)	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung, 90 Grad	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-3	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	○						
C	1-2177063-5	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	△						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-3	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	BLUE / blau RAL 5012 (5005)	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-3	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	△						
B	1-2177063-4	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	○						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-2	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	WHITE / weiss RAL 9010 (9001)	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-2	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	○						
B	1-2177063-3	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	△						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-2	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	WHITE / weiss RAL 9010 (9001)	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-2	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	△						
A	1-2177063-2	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	○						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-1	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	BLACK / schwarz RAL 9005 (9011)	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung, 90 Grad	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-1	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	○						
A	1-2177063-1	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	△						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-1	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	BLACK / schwarz RAL 9005 (9011)	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-1	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	△						
CODE	TE ASSY-NO	WEIGHT (g)	QTY	TE PART-NO.	TE SUB-ASSY-NO.	DESCRIPTION	MATERIAL	SURFACE COLOUR	ITEM							

THIS DRAWING IS UNPUBLISHED				RELEASED FOR PUBLICATION				NOT				ALL RIGHTS RESERVED				
COPYRIGHT 2011																
D	1-2177063-8	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	○						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
D	1-2177063-8	123	1	0-2177065-4	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	CLARET VIOLET Bordeauxviolet 4004	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-4	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	○						
D	1-2177063-7	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	△						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-4	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	CLARET VIOLET Bordeauxviolet 4004	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-4	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	△						
C	1-2177063-6	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	○						
			1	0-2208242-1	-	CPA-ADAPTER CPA-Adapter	PA66-GF30 PN 0-0704115-4 W. 2.5%-4% BATCH PN 0-1573806-8	DUSTY-GREY / Staubgrau SIM. / ähnlich RAL 7037	5							
			1	0-2177065-3	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	BLUE / blau RAL 5012 (5005)	4							
			1	-	0-2177066-1	3POS, MCON-1,2, REC HSG, 180 DEG, Assy 3pol, MCON-1,2, Dichtungshalter-Assy, 180 Grad	-	-	3							
			1	0-2141164-1	-	RADIAL SEAL 23,9x65,3 Radialdichtung, 90 Grad	Elastosil LR3844/30A/B COMPONENT A + B Komponente A + B PN 0-213301-1	WHITE SIM. RAL 9010	2							
			1	0-2177064-3	-	3POS, 8MM HV. REC HSG, 180 DEG, SEALED 3pol Gehäuse, 8mm HV. REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE SIM. RAL 2003	1	○						
C	1-2177063-5	123	1	0-2208243-1	-	CPA, HVP800 CPA, HVP800	PA66-GF10-GB20 PN 0-0704882-1 W. 2.5%-4% BATCH PN 0-0704420-2	RED / rot RAL 3000	6	△						
			1</													

LOC	DIST	REVISIONS				
		P	LTN	DESCRIPTION	DATE	OWN
A1	-	-	-	SEE SHEET 1	-	-
	-	-	-			
	-	-	-			
	-	-	-			

Codings see sheet 2.
Kodierungen siehe Blatt 2

NOTES SEE SHETT 2
Bemerkungen siehe Seite 2



B	7-2177063-4	5	120	1	9-2177065-2	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1 W. 1-5% BATCH PN 1-1192910-5	WHITE / weiss RAL 9010 (9011)	4	○
				1	-	9-2177066-2	3POS, MCON-1.2, REC HSG, 180 DEG, Assy 3pol. MCON-1.2, Dichtungshalter, 180 Grad, Assy	-	-	3	
				1	9-2141164-1	-	RADIAL SEAL 23.9x67.3 Radialdichtung	Silopren LSR 3485/35A PN 0-0704300-1/-2	NATURAL RAL 9001	2	
				1	9-2177064-2	-	3POS, 8MM HV, REC HSG, 180 DEG, SEALED 3pol Gehaeuse, 8mm HV, REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE RAL 2003	1	
B	7-2177063-3	5	120	1	9-2177065-2	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1 W. 1-5% BATCH PN 1-1192910-5	WHITE / weiss RAL 9010 (9011)		△
				1	-	9-2177066-2	3POS, MCON-1.2, REC HSG, 180 DEG, Assy 3pol. MCON-1.2, Dichtungshalter, 180 Grad, Assy	-	-	3	
				1	9-2208443-1	-	RADIAL SEAL 23.9x67.3 Radialdichtung	Silopren LSR 3485/35A PN 0-0704300-1/-2	NATURAL RAL 9001	2	
				1	9-2177064-2	-	3POS, 8MM HV, REC HSG, 180 DEG, SEALED 3pol Gehaeuse, 8mm HV, REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE RAL 2003	1	
A	7-2177063-2	5	120	1	9-2177065-1	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	BLACK / schwarz RAL 9005 (9011)	4	○
				1	-	9-2177066-2	3POS, MCON-1.2, REC HSG, 180 DEG, Assy 3pol. MCON-1.2, Dichtungshalter, 180 Grad, Assy	-	-	3	
				1	9-2208443-1	-	RADIAL SEAL 23.9x67.3 Radialdichtung	Silopren LSR 3485/35A PN 0-0704300-1/-2	NATURAL RAL 9001	2	
				1	9-2177064-1	-	3POS, 8MM HV, REC HSG, 180 DEG, SEALED 3pol Gehaeuse, 8mm HV, REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE RAL 2003	1	
A	7-2177063-1	5	120	1	9-2177065-1	-	LEVER, 3POS, 180 DEG Spannhebel, 3pos, 180 Grad	PA66-GF30 PN 0-0704115-1	BLACK / schwarz RAL 9005 (9011)	4	△
				1	-	9-2177066-2	3POS, MCON-1.2, REC HSG, 180 DEG, Assy 3pol. MCON-1.2, Dichtungshalter, 180 Grad, Assy	-	-	3	
				1	9-2208443-1	-	RADIAL SEAL 23.9x67.3 Radialdichtung	Silopren LSR 3485/35A PN 0-0704300-1/-2	NATURAL RAL 9001	2	
				1	9-2177064-1	-	3POS, 8MM HV, REC HSG, 180 DEG, SEALED 3pol Gehaeuse, 8mm HV, REC HSG, 180 Grad, gedichtet	PA66-GF30 PN 0-0702281-1 W. 2.5%-4% BATCH PN 0-1573806-1	ORANGE RAL 2003	1	
COD.	TE ASSY-NO.	REV	WEIGHT (g)	QTY	TE PART-NO.	TE SUB-ASSY-NO.	DESCRIPTION	MATERIAL	SURFACE COLOUR	ITEM	SYMBOL

