

DO NOT SCALE FROM THIS PRINT

DESIGNED & DIMENSIONED IN MILLIMETERS [INCHES]




FIG 1
ACPK-16-02-X-T-M-1 SHOWN




FIG 2
ACPK-16-02-X-S-M-1 SHOWN
(SAME AS FIG 1, EXCEPT AS SHOWN)

SUB-ACSHB-16-X-XX
(SEE TABLE 1 & NOTE 6)

ACPK-16-XX-X-X-M-X

- PLUG KIT
- SIZE
- KEY FEATURE
(SEE NOTE 2, SEE SHT. 4)
-1: ORANGE
-2: GREEN
-3: BLUE
-4: YELLOW
- STYLE
-M: METAL
- GENDER
-T: TERMINAL
-S: SOCKET
- PLATING
-G: 10µ" GOLD ON CONTACT
-H: 30µ" GOLD ON CONTACT

- LEAD STYLE
- 01: 14 POS (0.5 TERM/SKT), 26 - 30 AWG
 - 02: 10 POS (1.0 TERM/SKT), 20 - 24 AWG
 - 03: 4 POS PWR (1.5 TERM/SKT), 14 - 18 AWG
 - *-04: 4 POS COMBO
(2 X COAX PLUG/JACK), CCA-316
(2 X 1.0 TERM/SKT), 20 - 24 AWG
 - *-05: 4 POS COMBO
(3 X 1.5 TERM/SKT), 14 - 18 AWG
(1 X COAX PLUG/JACK), CCA-316
 - 06: 10 POS COMBO
(2 X 1.5 TERM/SKT), 14 - 18 AWG
(8 X 0.5 TERM/SKT), 26 - 30 AWG
 - *-07: 7 POS COMBO
(1 X COAX PLUG/JACK), CCA-316
(6 X 1.0 TERM/SKT), 20 - 24 AWG

* = NOT RELEASED FOR PRODUCTION

TABLE 2	
KEY FEATURE	SUB-ACP-16-XX-M-X
-1	SUB-ACP-16-01-M-1
-2	SUB-ACP-16-01-M-2
-3	SUB-ACP-16-01-M-3
-4	SUB-ACP-16-01-M-4

LEAD STYLES	GENDER	SUB-ASSEMBLY/HOLDER BODY PART #		COAX PLUG/JACK PART #	
		PLATING		AC-X-C-H-ST-CA1	QTY
		-G	-H		
-01	-T	SUB-ACTHB-16-G-01	SUB-ACTHB-16-H-01	NA	
-02	-T	SUB-ACTHB-16-G-02	SUB-ACTHB-16-H-02	NA	
-03	-T	SUB-ACTHB-16-G-03	SUB-ACTHB-16-H-03	NA	
*-04	-T	SUB-ACTHB-16-G-04	SUB-ACTHB-16-H-04	AC-P-C-H-ST-CA1	2
*-05	-T	SUB-ACTHB-16-G-05	SUB-ACTHB-16-H-05	AC-P-C-H-ST-CA1	1
-06	-T	SUB-ACTHB-16-G-06	SUB-ACTHB-16-H-06	NA	
*-07	-T	SUB-ACTHB-16-G-07	SUB-ACTHB-16-H-07	AC-P-C-H-ST-CA1	1
-01	-S	SUB-ACSHB-16-G-01	SUB-ACSHB-16-H-01	NA	
-02	-S	SUB-ACSHB-16-G-02	SUB-ACSHB-16-H-02	NA	
-03	-S	SUB-ACSHB-16-G-03	SUB-ACSHB-16-H-03	NA	
*-04	-S	SUB-ACSHB-16-G-04	SUB-ACSHB-16-H-04	AC-J-C-H-ST-CA1	2
*-05	-S	SUB-ACSHB-16-G-05	SUB-ACSHB-16-H-05	AC-J-C-H-ST-CA1	1
-06	-S	SUB-ACSHB-16-G-06	SUB-ACSHB-16-H-06	NA	
*-07	-S	SUB-ACSHB-16-G-07	SUB-ACSHB-16-H-07	AC-J-C-H-ST-CA1	1

NOTES:

1. KIT COMPONENTS TO BE PACKAGED IN BAGS PER PACKAGING STANDARD CO-RF-WI-3001-M.
2. KEY FEATURE DETERMINES COLOR OF KEY RING AND DUST CAP LANYARD IF APPLICABLE.
3. REFER TO DCA-ACP-16-M-X PRINT FOR DUST CAP.
4. TORQUE SPECIFICATION FOR CABLE NUT: 1.1Nm [10.00 IN-LB] - 1.7Nm [15.00 IN-LB].
5. CABLE DIAMETER SPECIFICATION: 5.08 [.200] - 8.67 [.341].
6. RECOMMENDED INSERTION TOOL: CAT-AC-16-M.
7. NOTE DELETED.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS. TOLERANCES ARE:
 DECIMALS ANGLES
 X.X: ±0.3 [.01] 2°
 X.XX: ±0.13 [.005]
 X.XXX: ±0.051 [.0020]

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

MATERIAL: DO NOT SCALE DRAWING
 CABLE SUB-ASM SHELLS/LOCKING SLEEVE/NUT: ZAMAK 3
 HOLDER BODY: PBT, COLOR: BLACK
 RETAINING RING: CARBON STEEL
 COLOR RING: SILICONE
 GROMMET CAGE: NYLON, COLOR: BLACK
 TERMINALS: BRASS
 CONTACTS: BRASS/BeCu
 GROMMET: NITRILE

SHEET SCALE: 1:1

520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812.944.6733 FAX: 812.948.5047
 e-Mail: info@SAMTEC.com code 53322


DESCRIPTION:
 ACCLIMATE CIRC. FIELD TERM. KIT

DWG. NO.
 ACPK-16-XX-X-X-M-X


BY: T NEWTON 5/11/2011 SHEET 1 OF 4

T- END OPTIONS


-01: 14 POS
Ø0.5 TERMINALS




-02: 10 POS
Ø1.0 TERMINALS




-03: 4 POS
Ø1.5 TERMINALS




***-04: 4 POS COMBO**
2 X COAX PLUGS
2 X Ø1.0 TERMINAL




***-05: 4 POS COMBO**
3 X Ø1.5 TERMINALS
1 X COAX PLUG



-06: 10 POS COMBO
2 X Ø1.5 TERMINALS
8 X Ø0.5 TERMINALS



***-07: 7 POS COMBO**
1 X COAX PLUG
6 X Ø1.0 TERMINALS



*** = NOT RELEASED FOR PRODUCTION**

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1.5:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322


DESCRIPTION: ACCLIMATE CIRC. FIELD TERM. KIT

DWG. NO. ACPK-16-XX-X-X-M-X


BY: T NEWTON 5/11/2011 SHEET 2 OF 4

-S END OPTIONS


-01: 14 POS
Ø0.5 SOCKETS




-02: 10 POS
Ø1.0 SOCKETS




-03: 4 POS
Ø1.5 SOCKETS




*-04: 4 POS COMBO
2 X COAX JACK
2 X Ø1.0 SOCKETS




*-05: 4 POS COMBO
3 X Ø1.5 SOCKETS
1 X COAX JACK



-06: 10 POS COMBO
2 X Ø1.5 SOCKETS
8 X Ø0.5 SOCKETS



*-07: 7 POS COMBO
1 X COAX JACK
6 X Ø1.0 SOCKETS



*** = NOT RELEASED FOR PRODUCTION**

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1.5:1

samtec


520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION: ACCLIMATE CIRC. FIELD TERM. KIT


DWG. NO. ACPK-16-XX-X-X-M-X

BY: T NEWTON 5/11/2011 SHEET 3 OF 4


-1
ORANGE KEY RING




-2
GREEN KEY RING



-3
BLUE KEY RING



-4
YELLOW KEY RING



PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:
ACCLIMATE CIRC. FIELD TERM. KIT

DWG. NO.
ACPK-16-XX-X-X-M-X

BY: T NEWTON 5/11/2011 SHEET 4 OF 4