




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	REVISED PER ECR-17-009578	04JUL2017	BW	FV




1 REVERSE REELING




SECTION C-C



TOOL 13094



TOOL 13123



SECTION D-D

1	PRE-TIN	PHOS. BRONZE	142685-5
	PRE-TIN	PHOS. BRONZE	142685-3
	FINISH	MATERIAL	PART NUMBER

WIRE AREA	0.35mm ² - 1mm ²
INSULATION DIAMETER	1.3 - 2±0.1
APPLICATION FEED	22±0.1

THIS DRAWING IS A CONTROLLED DOCUMENT.	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ±-
	1 PLC ±0.3
	2 PLC ±-
	3 PLC ±-
	4 PLC ±-
	ANGLES ±5°
MATERIAL	FINISH
-	-
-	-

DWN	05JUL2017	BASVESH WARAD
CHK	05JUL2017	VIRIDIA, FEDERICO
APVD	05JUL2017	DING, TIM
PRODUCT SPEC	-	
APPLICATION SPEC	-	
WEIGHT	-	
CUSTOMER DRAWING		

STE TE Connectivity			
NAME L.I.F POSITIVE LOCK 5MM SERIES			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=142685	-
SCALE 6:1		SHEET 1 OF 1	REV D1