






KEY CONFIGURATIONS




KEY A



KEY B



KEY C










KEY D

SEE REV. COLUMN DEC NO: JAN2013-1991 DRAWN BY: 2013/06/17 CHKD: APPR: VKOSHY 2013/06/20	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	mm INCH	MM ONLY	4:1	METRIC	☉
	▽=0	4 PLACES ± --- ± ---	DRAWN BY DATE	TITLE		
	▽=0	3 PLACES ± --- ± ---	DGRIFITHS 05-29-03	MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL		
▽=0	2 PLACES ± 0.10 ± ---	CHECKED BY DATE	MATERIAL NO. DOCUMENT NO.			
▽=0	1 PLACE ± 0.3 ± ---	DGRIFITHS 05-29-03	SD-33482-161			
▽=0	0 PLACE ± ±	APPROVED BY DATE	SHEET NO.			
	ANGULAR ± 3 °	VKOSHY 2010/04/06	2 OF 7			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE BOM	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
AG	SIZE D					


BLADE SEALED ASSEMBLY

OPTIONAL LASER MARKING ON THIS SURFACE SEE NOTE 3g.



PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN PRE-STAGED POSITION

SECTION Z-Z





PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN FINAL-LOCK POSITION

SECTION Y-Y

SEE REV. COLUMN EEC NO: UAU2013-1991 DRAWN BY: CHYK APPR: VKOSHY AG	2013/06/17 DESCRIPTION	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.3 ± --- 0 PLACE ± ± ---	DIMENSION STYLE MM ONLY	SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	DRAWN BY: DGRIFITHS DATE: 05-29-03	CHECKED BY: DATE	APPROVED BY: VKOSHY DATE: 2010/04/06	ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE BOM	DOCUMENT NO. SD-33482-161	TITLE MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL	SHEET NO. 3 OF 7
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							molex
	SIZE D							molex

SYSTEM PACKAGING



SEE REV. COLUMN IEC NO: UAU2013-1991 DRAWN BY: CHYK APPR: VKOSHY AG 2013/06/17 2010/04/06	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.3 ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY: DGRIFITHS DATE: 05-29-03 CHECKED BY: DGRIFITHS DATE: 05-29-03 APPROVED BY: VKOSHY DATE: 2010/04/06	SCALE 4:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL molex	MATERIAL NO. SEE BOM	DOCUMENT NO. SD-33482-161	SHEET NO. 4 OF 7
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



ASSEMBLY PART NUMBER	COLOR	KEYING OPTION	CAVITY TYPE & STATUS ( X = PLUGGED)															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
33482-1651	LT.GRAY	B															X	
33482-1652	LT.GRAY	B						X	X	X							X	
33482-1653	BLACK	A									X						X	
33482-1654	BLACK	A				X				X			X					
33482-1655	LT.GRAY	B				X				X			X		X			
33482-1656	LT.GRAY	B								X						X		
33482-1657	BLACK	A	X						X									
33482-1658	LT.GRAY	B		X		X		X	X	X			X		X			
33482-1659	LT.GRAY	B		X				X	X	X						X		
33482-1660	LT.GRAY	B		X						X						X		
33482-1661	BLACK	A	X	X		X				X			X					
33482-1662	LT.GRAY	B		X		X				X			X		X			
33482-1663	BLACK	A	X						X									
33482-1664	BLACK	A			X				X		X	X				X	X	
33482-1665	BLACK	A			X	X	X	X	X	X	X	X				X	X	
33482-1666	BLACK	A	X					X	X	X	X				X	X	X	
33482-1667	BLACK	A	X			X	X			X			X	X	X	X	X	
33482-1668	BLACK	A	X			X	X			X	X			X	X	X	X	
33482-1669	BLACK	A	X			X				X				X	X			
33482-1670	BLACK	A	X		X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1671	BLACK	A	X		X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1672	BLACK	A			X				X									
33482-1673	BLACK	A	X					X	X	X								
33482-1674	BLACK	A	X				X	X										
33482-1675	BLACK	A	X			X	X					X						
33482-1676	BLACK	A			X	X	X	X				X		X				
33482-1677	BLACK	A			X	X	X	X				X		X				
33482-1678	BLACK	A			X	X	X	X				X		X	X			
33482-1679	BLACK	A			X	X	X	X				X	X	X	X			
33482-1680	BLACK	A			X	X	X	X				X	X	X	X	X		
33482-1681	BLACK	A						X								X		
33482-1682	BLACK	A				X	X	X								X	X	
33482-1683	BLACK	A			X	X	X	X								X	X	
33482-1684	BLACK	A	X	X	X	X	X	X	X					X		X	X	
33482-1685	BLACK	A													X	X	X	X
33482-1686	BLACK	A							X						X	X	X	X
33482-1687	BLACK	A						X	X				X	X	X	X	X	
33482-1688	BLACK	A						X	X				X	X	X	X	X	
33482-1689	BLACK	A						X	X				X	X				
33482-1690	BLACK	A						X	X				X					
33482-1691	BLACK	A				X							X					
33482-1692	BLACK	A	X							X	X					X	X	
33482-1693	BLACK	A	X							X						X		
33482-1694	BLACK	A	X			X	X	X	X	X	X	X	X		X	X	X	
33482-1695	BLACK	A	X			X	X	X	X	X	X	X	X		X	X	X	
33482-1700	BLACK	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1701	BLACK	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1702	BLACK	A						X	X	X	X	X	X	X	X	X	X	
33482-1703	BLACK	A						X	X	X	X	X	X	X	X	X	X	
33482-1704	BLACK	A	X	X	X	X	X	X							X	X	X	
33482-1705	BLACK	A									X	X	X	X	X	X	X	
33482-1706	BLACK	A									X	X	X	X	X	X	X	
33482-1707	BLACK	A						X	X	X	X							
33482-1708	BLACK	A													X	X	X	
33482-1709	BLACK	A											X	X	X	X	X	
33482-1710	BLACK	A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1711	LT.GRAY	B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1712	LT.GRAY	B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

SEE REV. COLUMN IEC NO: UAU2013-1991 DRAWN BY: AG CHKD: APPR: VKOSHY 2013/06/17 2013/06/20	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± mm	MM ONLY		METRIC	
	▽=0	3 PLACES ± 0.10	DRAWN BY DATE	DGR1FF	05-29-03	TITLE
	▽=0	2 PLACES ± 0.3	CHECKED BY DATE	DGR1FF	05-29-03	MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL
	0 PLACE ±	1 PLACE ±	APPROVED BY DATE	VKOSHY	2010/04/06	
		ANGULAR ± 3°	MATERIAL NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE BOM	DOCUMENT NO.	SD-33482-161	SHEET NO. 6 OF 7
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

ASSEMBLY PART NUMBER	COLOR	KEYING OPTION	CAVITY TYPE & STATUS ( X = PLUGGED)															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
33482-1713	BLACK	A		X	X	X				X	X					X	X	
33482-1714	BLACK	A		X	X	X	X	X	X	X	X	X	X		X	X	X	
33482-1715	BLACK	A	X	X	X	X			X	X	X	X	X			X	X	
33482-1716	BLACK	A	X	X	X	X			X	X	X	X	X			X	X	
33482-1717	BLACK	A	X	X	X	X	X	X	X	X				X	X	X	X	
33482-1718	BLACK	A												X	X	X	X	
33482-1719	BLACK	A	X				X	X	X	X	X	X			X	X	X	
33482-1720	BLACK	A											X		X			
33482-1721	LT.GRAY	B			X		X	X	X			X	X	X	X			
33482-1722	LT.GRAY	B	X	X	X	X		X	X	X	X	X	X	X	X	X	X	
33482-1723	BLACK	A	X	X	X	X	X	X			X			X	X	X	X	
33482-1724	BLACK	A								X					X	X	X	
33482-1725	DK.GRAY	C																
33482-1726	ST.GRAY	D																
33482-1727	DK.GRAY	C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1728	ST.GRAY	D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1729	BLACK	A						X	X			X	X	X	X	X	X	
33482-1730	BLACK	A			X	X	X	X	X	X	X	X	X	X	X	X	X	
33482-1731	BLACK	A							X	X	X	X	X	X	X	X	X	
33482-1732	LT.GRAY	B					X	X	X			X						
33482-1733	LT.GRAY	B	X	X	X	X	X	X		X	X	X	X	X	X	X	X	
33482-1734	LT.GRAY	B					X			X	X	X	X		X	X		
33482-1735	BLACK	A				X				X	X	X	X					
33482-1736	BLACK	A	X	X	X	X	X							X	X			
33482-1737	BLACK	A	X	X	X	X	X			X	X	X	X					
33482-1738	BLACK	A	X	X			X	X	X									
33482-1739	BLACK	A			X	X					X	X						
33482-1740	BLACK	A							X				X	X	X	X	X	
33482-1741	BLACK	A		X	X				X	X	X	X	X	X	X	X	X	
AG 33482-1742	BLACK	A								X	X	X						
AG 33482-1743	BLACK	A								X			X					
AG 33482-1744	BLACK	A		X			X		X		X	X	X	X		X		
AG 33482-1745	BLACK	A		X					X		X	X	X					
AG 33482-1746	BLACK	A		X					X									
AG 33482-1747	BLACK	A									X	X	X	X		X		
AG 33482-1748	BLACK	A		X					X		X	X	X	X		X		
AG 33482-1749	BLACK	A	X						X	X	X	X	X	X		X		
AG 33482-1750	BLACK	A	X	X					X	X	X	X	X	X		X		

SEE REV. COLUMN IEC NO: UAU2013-1991 DRAWN BY: AG CHECKED: AG APPR: VKOSHY DATE: 2013/06/17 REV: 2013/06/20	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	∇=0 ∇=0 ∇=0	4 PLACES ± .005 3 PLACES ± .01 2 PLACES ± 0.10 1 PLACE ± 0.3 0 PLACE ±	mm INCH ± .005 ± .005 ± .01 ± .01 ± .03 ± .03 ± ±	MM ONLY DRAWN BY DATE DGRIF ITHS 05-29-03 CHECKED BY DATE DGRIF ITHS 05-29-03 APPROVED BY DATE VKOSHY 2010/04/06		METRIC	MX150 2X8 BLADE SEALED ASSEMBLY MAT SEAL <b>molex</b>
	ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE BOM SIZE D	DOCUMENT NO. SD-33482-161	SHEET NO. 7 OF 7			
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						