


STYLE 1

STYLE 2




STYLE 3

STYLE





AS STYLE 3
CENTRAL RIB REMOVED



SECTION B - B



SECTION A - A



3	D
2	D
1	D
SH.	REV

ECN Z1-013 18-01-91	ECN Z1-010 17-01-91	ECN Z0-003 09-01-90	ECN Z9-054 28-11-89 (ALL SHEETS REDRAWN)	REVISIONS	DIMENSIONS SHOWN (METRIC) INCH		DRWG BY	CAD/CAM FILENAME 42000005.DGN		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
D	C	B	A		LTR	UNLESS OTHERWISE SPECIFIED TOLERANCES ARE : INCH (METRIC)		F.GOTTARDO	TITLE	LOW PROFILE I.C. SOCKET 42000 SERIES	
						3 PLACE :		CHK'D BY			
						2 PLACE :	: 0.1	APP'D BY			
						1 PLACE :	: 0.2				
						DESIGN DIMENSION (PRIMARY)			☐ (MM) ☐ IN		
EQUIVALENT DIMENSION (SECONDARY)		☐ (MM) ☒ IN.	SCALE	1/3	27-11-89						
5:1		PART NO.	SEE CHART	DWG NO.	SDA 42000 - XXXX	SIZE B					

P/N	CKTS	STYLE	DIMENSIONS	
			A $\begin{smallmatrix} (+.0, .1) \\ -.004 \end{smallmatrix}$	B $\begin{smallmatrix} (+.2 \\ -.0 \\ -.008 \\ -.0 \end{smallmatrix}$
42000 - 061*	06	1	$\begin{smallmatrix} (5.08) \\ .200 \end{smallmatrix}$	$\begin{smallmatrix} (7.62) \\ .300 \end{smallmatrix}$
42000 - 081*	08	1	$\begin{smallmatrix} (7.62) \\ .300 \end{smallmatrix}$	$\begin{smallmatrix} (10.16) \\ .400 \end{smallmatrix}$
42000 - 141*	14	1	$\begin{smallmatrix} (15.24) \\ .600 \end{smallmatrix}$	$\begin{smallmatrix} (17.78) \\ .700 \end{smallmatrix}$
42000 - 161*	16	1	$\begin{smallmatrix} (17.78) \\ .700 \end{smallmatrix}$	$\begin{smallmatrix} (20.32) \\ .800 \end{smallmatrix}$
42000 - 181*	18	1	$\begin{smallmatrix} (20.32) \\ .800 \end{smallmatrix}$	$\begin{smallmatrix} (22.86) \\ .900 \end{smallmatrix}$
42000 - 201*	20	1	$\begin{smallmatrix} (22.86) \\ .900 \end{smallmatrix}$	$\begin{smallmatrix} (25.40) \\ 1.000 \end{smallmatrix}$
42000 - 222*	22	2	$\begin{smallmatrix} (25.40) \\ 1.000 \end{smallmatrix}$	$\begin{smallmatrix} (27.94) \\ 1.100 \end{smallmatrix}$
42000 - 243*	24	3	$\begin{smallmatrix} (27.94) \\ 1.100 \end{smallmatrix}$	$\begin{smallmatrix} (30.48) \\ 1.200 \end{smallmatrix}$
42000 - 283*	28	3	$\begin{smallmatrix} (33.02) \\ 1.300 \end{smallmatrix}$	$\begin{smallmatrix} (35.56) \\ 1.400 \end{smallmatrix}$
42000 - 284*	28	4	$\begin{smallmatrix} (33.02) \\ 1.300 \end{smallmatrix}$	$\begin{smallmatrix} (35.56) \\ 1.400 \end{smallmatrix}$
42000 - 323*	32	3	$\begin{smallmatrix} (38.10) \\ 1.500 \end{smallmatrix}$	$\begin{smallmatrix} (40.64) \\ 1.600 \end{smallmatrix}$
42000 - 403*	40	3	$\begin{smallmatrix} (48.26) \\ 1.900 \end{smallmatrix}$	$\begin{smallmatrix} (50.80) \\ 2.000 \end{smallmatrix}$
42000 - 404*	40	4	$\begin{smallmatrix} (48.26) \\ 1.900 \end{smallmatrix}$	$\begin{smallmatrix} (50.80) \\ 2.000 \end{smallmatrix}$

PART NO LEGEND

42000 - * * * *

CKT SIZE

STYLE

TERMINAL MAT'L AND PLATING:

0
2

MATERIAL

HOUSING: BLACK PBT, 30% G.F., UL 94 V0

TERMINAL: 0 = PHOSPOR BRONZE TIN PRE-PLATED
2 = BE CU TIN PRE-PLATED


SEE SHEET 1	SEE SHEET 1	REVISIONS	DIMENSIONS SHOWN (METRIC) INCH		DRWG BY	REVISE ONLY ON CAD SYSTEM		SH.	REV.
			UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR :		F. GOTTARDO	CAD/CAM FILENAME 4200000S.DGN		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
			INCH (METRIC)		CHK'D BY	TITLE		SHEET NO. DATE	
			3 PLACE : 2 PLACE : 1 PLACE :		APP'D BY	LOW PROFILE I.C. SOCKET 42000 SERIES		2/3 27-11-89	
		DESIGN DIMENSION (PRIMARY) □ (MM) □ IN		M. PREVIAATO	MOLEX MOLEX INCORPORATED				
		EQUIVALENT DIMENSION (SECONDARY) □ (MM) □ IN.		SCALE	PART NO.		DWG NO.		SIZE
				/	SEE CHART		SDA 42000 - XXXX		B

P/N	CKTS	STYLE	DIMENSIONS	
			A $\begin{smallmatrix} (.0.1) \\ .004 \end{smallmatrix}$	B $\begin{smallmatrix} (.1.2) \\ .008 \\ .0 \end{smallmatrix}$
42000 - 1450	14	5	$\begin{smallmatrix} (15.24) \\ .600 \end{smallmatrix}$	$\begin{smallmatrix} (17.78) \\ .700 \end{smallmatrix}$
42000 - 1650	16	5	$\begin{smallmatrix} (17.78) \\ .700 \end{smallmatrix}$	$\begin{smallmatrix} (20.32) \\ .800 \end{smallmatrix}$
42000 - 1850	18	5	$\begin{smallmatrix} (20.32) \\ .800 \end{smallmatrix}$	$\begin{smallmatrix} (22.86) \\ .900 \end{smallmatrix}$
42000 - 2050	20	5	$\begin{smallmatrix} (22.86) \\ .900 \end{smallmatrix}$	$\begin{smallmatrix} (25.40) \\ 1.000 \end{smallmatrix}$



VERSIONS TOOLED BY MX-TAIWAN ONLY.

STYLE 5

SECTION B - B



SECTION A - A



SEE SHEET 1 D	SEE SHEET 1 C	SEE SHEET 1 A	REVISIONS LTR	DIMENSIONS SHOWN (METRIC) INCH UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR :	DRWG BY F. GOTTARDO	REVISE ONLY ON CAD SYSTEM		SH.	REV.
				INCH (METRIC)	CHK'D BY	CAD/CAM FILENAME 4200000S.DGN		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
				3 PLACE : 2 PLACE : 1 PLACE :		TITLE LOW PROFILE I.C. SOCKET 42000 SERIES			
				DESIGN DIMENSION (PRIMARY) ☐ (MM) ☐ IN EQUIVALENT DIMENSION (SECONDARY) ☐ (MM) ☐ IN.	APP'D BY M. PREVIATO SCALE 5:1	MOLEX MOLEX INCORPORATED		SHEET NO. 3/3	DATE 27-11-89
				PART NO. SEE CHART		DWG NO. SDA 42000 - XXXX		SIZE B	