




P	LTR	DESCRIPTION	DATE	DWN	APVD
H3		REVISED PER ECN-22-153872	16MAY2022	RK	MF
J		PLATING PLATING OPTIMIZATION (Au TO PdNi+Au FLASH)	27MAR2025	RS	GVP

NOTE

- 1 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- 2 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 3 ASSEMBLY MAY BE BROKEN TO THE DESIRED NUMBER OF POSITIONS
- 4 BREAKAWY NOTCH ANGLE CAN BE ORIENTED TO THE RIGHT (AS SHOWN) OR TO THE LEFT
- 5 .000015[.000381] GOLD IN THE CONTACT AREA, .000100[0.00254] - .000200[0.00508] MATTE TIN-LEAD ON THE SOLDER TAIL, ALL OVER .000050[0.00127] NICKEL
- 6 .000011[0.000279] PdNi+.000004[0.000102] Au FLASH IN THE CONTACT AREA, .000100[0.00254] - .000200[0.00508] MATTE TIN ON THE SOLDER TAIL, ALL OVER .000050[0.00127] NICKEL
- 7 HIGH TEMPERATURE CONFIGURATION
- 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 9 OBSOLETE



RECOMMENDED HOLE LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H MOLL 23OCT1987	TE Connectivity													
DIMENSIONS: INCHES [mm]		CHK T CLARK 23OCT1987														
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T CLARK 23OCT1987	NAME HEADER ASSY, MOD II, B/A, DR, .100X.100 [2.54X2.54] C/L, RA, WITH .025 [6.35] .SQ POSTS													
<table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>±</td></tr> <tr><td>2 PLC</td><td>±</td></tr> <tr><td>3 PLC</td><td>±.005 [0.127]</td></tr> <tr><td>4 PLC</td><td>±</td></tr> <tr><td>ANGLES</td><td>±</td></tr> </table>		0 PLC	±	1 PLC	±	2 PLC	±	3 PLC	±.005 [0.127]	4 PLC	±	ANGLES	±	PRODUCT SPEC -	SIZE A2	CAGE CODE 00779
0 PLC	±															
1 PLC	±															
2 PLC	±															
3 PLC	±.005 [0.127]															
4 PLC	±															
ANGLES	±															
MATERIAL HOUSING: FLAME RETARDANT THERMOPLASTIC. COLOR: BLACK. POSTS: COPPER ALLOY		APPLICATION SPEC -	DRAWING NO G-103326	RESTRICTED TO -												
FINISH SEE TABLE		WEIGHT -	SCALE 4:1 SHEET 1 OF 2 REV J													
		CUSTOMER DRAWING														

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

REMARKS	PLATING	C	B	A	NO. OF POSITIONS	PART NUMBER	PLATING	C	B	A	NO. OF POSITIONS	PART NUMBER
					2	9-103326-0					2	9-4-103326-0
					8	8-103326-9					8	8-3-103326-9
					8	8-103326-8					8	8-3-103326-8
					8	8-103326-7					8	8-3-103326-7
					8	8-103326-6					8	8-3-103326-6
					8	8-103326-5					8	8-3-103326-5
					8	8-103326-4					8	8-3-103326-4
					8	8-103326-3					8	8-3-103326-3
					8	8-103326-2					8	8-3-103326-2
					8	8-103326-1					8	8-3-103326-1
					8	8-103326-0					8	8-3-103326-0
					8	7-103326-9					8	8-2-103326-9
					8	7-103326-8					8	8-2-103326-8
					8	7-103326-7					8	8-2-103326-7
					8	7-103326-6					8	8-2-103326-6
					8	7-103326-5					8	8-2-103326-5
					8	7-103326-4					8	8-2-103326-4
					8	7-103326-3					8	8-2-103326-3
					8	7-103326-2					8	8-2-103326-2
					8	7-103326-1					8	8-2-103326-1
					8	7-103326-0					8	9-2-103326-0
					8	6-103326-9					8	8-1-103326-9
					8	6-103326-8					8	8-1-103326-8
					8	6-103326-7					8	8-1-103326-7
					8	6-103326-6					8	8-1-103326-6
					8	6-103326-5					8	8-1-103326-5
					8	6-103326-4					8	8-1-103326-4
					8	6-103326-3					8	9-1-103326-3
					8	6-103326-2					8	8-1-103326-2
					8	6-103326-1					8	8-1-103326-1
					8	6-103326-0					8	8-1-103326-0
					8	5-103326-9					8	8-103326-9
					8	5-103326-8					8	9-103326-8
					8	5-103326-7					8	9-103326-7
					8	5-103326-6					8	9-103326-6
					8	5-103326-5					8	9-103326-5
					8	5-103326-4					8	8-103326-4
					8	5-103326-3					8	8-103326-3
					8	5-103326-2					8	8-103326-2
					8	5-103326-1					8	8-103326-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN H MOLL 23OCT1987
CHK T CLARK 23OCT1987
APVD T CLARK 23OCT1987

STE TE Connectivity

NAME: HEADER ASSY, MOD II, B/A, DR, .100X.100 [2.54X2.54] C/L, RA, WITH .025 [6.35] .SQ POSTS

PRODUCT SPEC: -
APPLICATION SPEC: -
WEIGHT: -

SIZE: A2 CAGE CODE: 00779 DRAWING NO: C-103326 RESTRICTED TO: -

MATERIAL FINISH: -

CUSTOMER DRAWING SCALE: 1:1 SHEET: 2 OF 2 REV: J