





REVISIONS 変更				
P	LTR	DESCRIPTION	DATE	DWN APVD



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20





© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD



AS SHOWN : - 1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
□□: □
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

□□□□ ± 0.15
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL
□□

FINISH
□□

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

Customer Drawing



TE Connectivity

NAME
□□

TS14-RVS
DOUBLE CONTACT
BODY ASSY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2134034

SCALE

NTS


SHEET

3 OF 4


REV B

REVISIONS 変更					
P	LTR	DESCRIPTION	DATE	DWN	APVD


本図面に記載された内容はタイコ エレクトロニクス アンプ(株)の所有する情報を開示しております。
無断で複写・配布する事を禁じます。 特許出願中



POSITION IN WHICH CONTACT
DEVIATE FROM SIM PAD
コンタクトがSIMカードPADを外れる位置




NOMINAL POSITION
通常使用時



TRAY EJECT POSITION
TARY引き出し位置

METAL TRAY
P/N; 2134033-1



PAI CORT AREA
PAIコート材範囲

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

MATERIAL
材料

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差 ±0.15

0-PLC ±
1-PLC ±
2-PLC ±
3-PLC ±
4-PLC ±
ANGLES ±
FINISH
仕上

DWN
CHK
APVD

PRODUCT SPEC
製品規格

APPLICATION SPEC
取付適用規格

WEIGHT

Customer Drawing

TE Connectivity

NAME
名称
TS14-RVS
DOUBLE CONTACT
BODY ASSY

SIZE
A300779

CAGE CODE
C-2134034

DRAWING NO
番号

RESTRICTED TO

SCALE
尺度
3:1

SHEET
4 OF 4

REV
B